



NEXT85 TURBOMOLECULAR PUMP

MECHANICAL VIBRATION DATA FOR SENSITIVE APPLICATIONS

Sanborn, NY 2019


David Steele




CONFIDENTIALITY STATEMENT

This presentation has been prepared exclusively for the benefit and use of Edwards and is confidential in all respects. This presentation does not carry any right of publication or disclosure, in whole or in part, to any other party. This presentation is the property of Edwards. Neither this presentation nor any of its contents may be used for any purpose without the prior written consent of Edwards. This presentation includes certain statements, estimates, targets and projections as to anticipated future business performance. Such statements may reflect significant assumptions and subjective judgements by Edwards which may or may not prove to be correct. Edwards makes no representations as to the accuracy, completeness or fairness of this presentation and so far as is permitted by law, no responsibility or liability whatsoever is accepted by Edwards for the accuracy or sufficiency thereof or for any errors, omissions, or misstatements relating thereto. The contents of this presentation is confidential and should not be distributed.

Typical vibration spectrum - nEXT85D/H ISO63 mounted on vibration isolator.
Measured at pump inlet flange in radial direction.



Typical vibration spectrum - nEXT85D/H ISO63 mounted on vibration isolator.
Measured at pump inlet flange in axial direction.



Thank you.

